See Instructions on Back of Page 6

Department of Health Services Toxic Substances Control Division

US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) N N N N N N N N N N N N N	7 7 7 9 9 9 1 2. 0 No.	Conta	B. Sta C. Sta D. Tre E. Sta F. Tra G. Sta H. Fac	neporter's te Facility	s Phone s Phone y's ID one -711 otal uantity	90: 838 910-19 14. Unit Wt/Vol	3789 319 61-932 Vas State PA/Other D002 State
PSG3 S. Normandie Avenue, Torrance, CA 90562 ererator's Phone (213) 533-7926 or 213-533-7231 ransporter 1 Company Name Bited Pumping Service Bited Pumping Ser	12. C	Conta	C. Standard C. Sta	te Transp neporter's te Transp neporter's te Facility Lility's Pho 3-586 13. T. Qu	s Phone corter's is Phone y's ID cone	PLOS PLOS 7018 14. Unit Wt/Vol	Was State 792 EPA/Other DGG2 State
rehapporter 1 Company Name Sited Pumping Service ICIA DIGIT 2 9 5 3 7 rehapporter 2 Company Name 8. US EPA ID Number 10. US EPA ID Number 11. US EPA ID Number 11. US EPA ID Number 12. US EPA ID Number 13. US EPA ID Number 14. US EPA ID Number 15. US EPA ID Number 16. US EPA ID Number 17. US EPA ID Number 18. US EPA ID Number 19. US EPA ID Number 10. US EPA ID Number 11. US EPA ID Number 12. US EPA ID Number 13. US EPA ID Number 14. US EPA ID Number 15. US EPA ID Number 16. US EPA ID Number 16. US EPA ID Number 17. US EPA ID Number 18. US EPA ID Number 19. US EPA ID Number 19. US EPA ID Number 10. US EPA ID Number 10. US EPA ID Number 12. US EPA ID Number 13. US EPA ID Number 14. US EPA	12. C	Conta	D. Tre E. Sta F. Tra G. Sta H. Fac 21 ainers Type	neporter's te Transp neporter's te Facility	s Phone sorter's I s Phone y's ID One I -711 one I otal uantity	705 14. Unit Wt/Vol	Was State 792 EPA/Other DGG2 State
ransporter 2 Company Name 8. US EPA ID Number esignated Facility Name and Site Address 10. US EPA ID Number orris Industries 215 S. Boyle Avenue 05 Angeles, CA 90058 US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) 12. N 13. Waste, Corrosive Liquid, N.O.S. (Hitric acid) orrosive Material, UN1760 (D002, D007) 14. Corrosive Materials Listed Above Acceptance J E-1062CR2. Mixed Acids - Tank 417	12. C	Conta	E. Sta F. Tra G. Sta H. Fac 21 ainers Type	te Transp neporter's te Facility VV) Jility's Pho 3-586 13. T Ot	porter's its Phone y's ID One I -711 one uantity	705 14. Unit Wt/Vol	Was State 792 EPA/Other DGG2 State
esignated Facility Name and Site Address Orris Industries 215 S. Boyle Avenue Os Angeles, CA 96058 US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) N. Waste, Corrosive Liquid, N.O.S. (Nitric acid) Orrosive Material, UN1760 (D802,D007) Odditional Descriptions for Materials Listed Above Acceptance & E-1062CR2. Mixed Acids - Tank 417	12. (No.	Conta	G. Sta H. Fac 21 ainers Type	te Facility Lility's Pho 3-586 13. T. Qu	s Phone y's ID One I=711 ona uantity	705 14. Unit Wt/Vol	Was State 792 EPA/Other DGG2 State
orris Industries 215 S. Boyle Avenue os Angeles, CA 99058 US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) 12. N 13. N 14. N 15. N 16. Naste, Corresive Liquid, N.O.S. (Nitric acid) 16. Norrosive Material, UN1760 (D002, D007) 16. N 17. N 18. N 19. N 19. N 19. N 10.	12. (No.	Conta	H. Fac 21 ainers Type	2	cone -711 Total quantity	14. Unit Wt/Vol	State 792 EPA/Other D002 State
215 S. Boyle Avenue os Angeles, CA 90058 ICIAD 0 9 7 0 3 0 9 US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) O, Waste, Corresive Liquid, N.O.S. (Mitric acid) corrosive Material, UN1760 (D002, D007) O (D) dditional Descriptions for Materials Listed Above Acceptance & E-1862CR2. Mixed Acids — Tank 417	12. (No.	Conta	H. Fac 21 ainers Type	3-586 13. To Qu	i=711 otal uantity	14. Unit Wt/Vol	State 792 EPA/Other D002 State
us DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) 12. 13. 14. 15. 16. Haste, Corresive Liquid, N.O.S. (Mitric acid) 16. Haste, Corresive Liquid, N.O.S. (Mitric acid) 17. 18. 19. 19. 19. 10. 10. 10. 10. 10	12. (No.	Conta	21 ainers Type	3-586 13. To Qu	I=711 otal uantity	14. Unit Wt/Vol	State 792 EPA/Other 5002
US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) N. Haste, Corresive Liquid, N.O.S. (Mitric acid) Corrosive Material, UN1760 (D802, D007) dditional Descriptions for Materials Listed Above Acceptance # E-1862CR2. Mixed Acids — Tank 417	12. (No.	Conta	Type	Qı	uantity	Unit Wt/Vol	State 792 EPA/Other D002
O. Haste, Corresive Liquid, N.O.S. (Nitric acid) orrosive Material, UN1760 (D302, D007) dditional Descriptions for Materials Listed Above Acceptance & E-1862CR2. Mixed Acids — Tank 417				04 10	206	:	State 792 EPA/Other DOG2, State
dditional Descriptions for Materials Listed Above Acceptance # E-1862CR2. Mixed Acids — Tank 417		1	T II	04 10	20 6	a c	EPA/Other DOG2. State
dditional Descriptions for Materials Listed Above Acceptance # E-1862CR2, Mixed Acids - Tank 417		1	11	04 10		D G	DOG2.
Acceptance # E-1062CR2. Mixed Acids - Tank 41T		1		_1_1			
Acceptance # E-1062CR2. Mixed Acids - Tank 41T							I STATE A CONTRACT
Acceptance # E-1062CR2. Mixed Acids - Tank 41T		1			——	\rightarrow	EPA/Other
Acceptance # E-1062CR2. Mixed Acids - Tank 41T		1					State
Acceptance # E-1062CR2. Mixed Acids - Tank 41T		-					EPA/Othe
Acceptance # E-1062CR2. Mixed Acids - Tank 41T						 	State
Acceptance # E-1062CR2. Mixed Acids - Tank 41T							EPA/Othe
Acceptance # E-1062CR2. Mixed Acids - Tank 41T				11	11	<u> </u>	isted Above
special Handling Instructions and Additional Information n case of accident, contact Chemtrec at 800–424–9300 ash into sewer or waterway. If unable to deliver, re							
pproximate. DOT Emergency Response Guide E # 60. EH	EH F	Per	mit	4-9)0051	602	, i emo
GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully a and are classified, packed, marked, and labeled, and are in all respects in proper condition for trans	fully an r transp	nd ac port b	curately by highw	describe vay accor	d above	by prope	er shipping r e internation
stational government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and t	and to	oxicity	y of was	ite genera	ated to th	he degre	e I have dete
to be economically practicable and that I have selected the practicable method of treatment, storag present and future threat to human health and the environment; OR, if I am a small quantity generate	nerator	r, I he	disposa ave mad	l currently le a good	availabl faith eff	le to me v fort to mi	which minimi nimize my w
peneration and select the best waste management method that is available to me and that I can affect the best waste management method that is available to me and that I can affect the best waste management method that is available to me and that I can affect the best waste management method that is available to me and that I can affect the best waste management method that is available to me and that I can affect the best waste management method that is available to me and that I can affect the best waste management method that is available to me and that I can affect the best waste management method that is available to me and that I can affect the best waste management method that is available to me and that I can affect the best waste management method that is available to me and that I can affect the best waste management method that is available to me and that I can affect the best waste management method that is available to me and that I can affect the best waste management method that is available to me and that I can affect the best waste management method that is a second to be a second to	an arror						Month
obert G. Tuell. Jr. Robert S.		01	in al	D. Q	Z		1014
Topography & Asignatic department of Designation & Managing		M			<i></i>		_19/19/17
ransporter 1 Acknowledgement of Receipt of Materials	93	#			Ä		Month
ed/Typed Name Signature		P.)		~		TOLAIT
ed/Typed Name Signature Si		P.	g.	اسطب	Service of the service of		Month
		1.	Ze				
od/Typed Name Signature Fransporter 2 Acknowledgement of Receipt of Materials		1	ge.	امط			
od/Typed Name Signature Fransporter 2 Acknowledgement of Receipt of Materials			Ze				111
ransporter 2 Acknowledgement of Receipt of Materials	1	1	34	100			111
ransporter 2 Acknowledgement of Receipt of Materials ed/Typed Name Signature Discrepancy Indication Space	1	7					

EPA 8700—22 (Rev. 6-89) Previous editions are obsolete.

AROW TSOE SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS

See Instructions on Back of Page 6 and Front of Page 7

Department of Health Services Toxic Substances Control Division Sacramento, California

Please print or type. Form designed for use on elite (12-pitch typewriter). 1. Generator's US EPA ID No. Manifest 2. Page 1 UNIFORM HAZARDOUS Information in the shaded areas Document No WASTE MANIFEST of 1 is not required by Federal law. CIAIDI01816151110101015 A. State Manifest Document Number 3. Generator's Name and Mailing Address Douglas Aircraft Company Attn: R. Tuell M/S C6-10 19503 S. Normandie Avenue, Torrance, CA 90502 B. State Generator's ID 4. Generator's Phone (213)533-7926 or 213-533-7231 H A H O 3 6 5. Transporter 1 Company Name 90378965 NSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-862-7550 US EPA ID Number C. State Transporter's ID D. Transporter's Phone R18-961-9326 [C|A|D|O|7|2|9|5|3|7|7|1 United Pumping Service E. State Transporter's ID 7. Transporter 2 Company Name F. Transporter's Phone US EPA ID Number 9. Designated Facility Name and Site Address NOTT'S INQUSTRIES G. State Facility's ID 5215 S. Boyle Avenue H. Facility's Phone Los Angeles, CA 90058 C A D O 9 7 0 3 0 9 9 3 213-588-7111 l. Waste No. Unit Wt/Vol 11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) Туре Sty \$2 RQ, Waste, Corrosive Liquid, N.O.S. (Nitric acid) Corrosive Material, UN1760 (D002,D007) 0002° bour point EPA/Other C. EPA/Other State d. J. Additional Descriptions for Materials Listed Above
a) Acceptance # E-1062CR2. Mixed Acids - Tank 41T K. Handling Codes for Wastes Listed Above b. Hitric acid 0-10% Fluoride salts 0-1% Œ Chromic acid 0-6% Water 82-100% THE NATIONAL Hydrofluoric acid 0-1% 15. Special Handling Instructions and Additional Information In case of accident, contact Chemtrec at 800-424-9300. Do not breathe vapors, do not wash into sewer or waterway. If unable to deliver, return to generator. Volume is approximate. DOT Emergency Response Guide # 60. EH Permit # 4-90051602 CALL GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and SPILL, national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined **EMERGENCY OR** to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford. Printed/Typed Name Robert 17. Transporter 1 Acknowledgement of Receipt of Materials Z Printed/Typed Name Signature Ь 18. Transporter 2 Acknowledgement of Receipt of Materials CASE Month Printed/Typed Name Signature Day 19. Discrepancy Indication Space A C 20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19 Month Day Printed/Typed Name Signature Year

DH\$ 8022 A

EPA 8700—22 (Rev. 6-89) Previous editions are obsolete.

Do Not Write Below This Line



CUSTOMER/ADDRESS

PHONE NO.

SCOPE OF WORK

TORRANCE

UNITED PUMPING SERVICE, INC. FIELD WORK ORDER

14016 EAST VALLEY BOULEVARD CITY OF INDUSTRY, CALIFORNIA 91746 PHONE: (818) 961-9326 FAX (818) 336-7734

CONTACT

			PAGE	<u>_L</u> 0	F
6	ATE WORK	PERFORME GEPORT:	D: // ~ (9/	
-	ME CALL RE	CENED:		 ,	
-	ONTRACT	VO.:			
-	OSS REPOR	NO./P.O.	NO:		
	<u></u>				
n	nix	EB		الناع	5
ARRIVE	TIME	STOP	\$.T.		
TIME	OUT	TIME	TIME	O.T. TIME	TOTAL HOURS
211	1400				

ARRIVE TIME	TIME	STOP TIME	S.T. TIME	O.T. TIME	TOTAL HOURS

	EQUIPMENT TYPE	:	EQUIPMENT NO.		OPERATO NAME	9	START TIME	ARRIVE TIME	TIME	STOP TIME	S.T. TIME	O.T. TIME	TOTAL
000	Allow V	ALUMTEUR	19 (T99	10	NV.	F.	1015	1115	1400				
							<u> </u>						
							<u> </u>		·				
}	***	to					1						
												200	
	PERSONNEL NAME	:		T	TTLE	· 	START TIME	ARRIVE TIME	TIME	STOP TIME	S.T. TIME	O.T.	TOTAL
		·											
													
			· · · · · · · · · · · · · · · · · · ·										
DISPC MANIFE	ST NO.	DISPOSAL SITE		QTY	UNIT	AL	COMSUN	AABLE:	QT	Y	TYPI		QTY
-						1	TOTY	VEK	1				-
* :						12	•	-					
						ļ	· · · · · · · · · · · · · · · · · · ·		_				
,													

RCRA LAND DISPOSAL RESTRICTION NOTIFICATION

Gen	erator Name: Ovilas Aircraft Co	Date of Shipment: 4/11/9,
	ifest Number: 90378765	Date of Shipment: 4/11/9,
EPA	Hazardous Waste Number 1002, 1000 7	· '
This EPA was treat	notification is hereby submitted to <u>NORRIS</u> E regulations described in 40 CFR Part 268 which tes, unless these wastes are treated to meet tment technologies.	INVIRONMENTAL SERVICES in compliance witch prohibit the land disposal of certain hazardor specified standards or treated using specific ed manifest is restricted in its present form and mu
0	WASTE (check one) Liquid hazardous waste including free liquid associated with any solid or sludge containing free cyanide at concentrations greater than or equal 1000mg/L	ree Stabilization
	Liquid hazardous wastes, including free liqui associated with any solid or sludge, containing t following metals (or elements) at concentratio greater than or equal to those specified below: (check those that apply)	the Stabilization
	Arsenic and/or compounds (as As) 500 mg/L	
	Cadmium and/or compounds (as Cd) 100 mg/L	4
_	Chromium (VI and/or compounds as Cr VI) 50	00 mg/L;
	Lead and/or compounds (as Pb) 500 mg/L; Mercury and/or compounds (as Hg) 20 mg/L;	
	Mercury and/or compounds (as Hg) 20 mg/L	
	Nickel and/or compounds (as Ni) 134 mg/L;	
	Selenium and/or compounds (as Se) 100 mg/L	and
	Thallium and/or compounds (as Tl) 130 mg/L	
0	Liquid hazardous wastes that are primarily water a contain halogenated organic compounds (HOCs) in to concentration greater than or equal to 1,000 mg/L and le than 10,000 mg/L HOCs (see attached listing of HC constituents)	otal Steam Stripping one Other
ם	Liquid hazardous wastes containing polychlorinat hiphenyls (PCBs) at concentrations greater than or equ to 50 ppm	Incineration, high efficiency boiler, other therm ual treatment
	Liquid hazardous wastes having a pH less than or equ to two(2)	ual Neutralisation Stabilization
	The spent solvent wastes specified in 40 CFR 261.31 EPA Hazardous Wastes Nos F001, F002, F003, F004 at F005	
reret	ost recent copy of waste analysis or a description of the k by certify that all information submitted in this and all as owledge and information.	mowledge upon which this notification is based is attached sociated socuments is complete and accurate to the best of
Rint I	Let G. Groll, Jr. & Senior	Plant Engineer × 04/11/91 Title Date
Rignati	Pobert G. Tuell, Jr, x2	13) 533 - 7926 Telephone Number